This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

□ BLACK BORDERS	
I IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
BLURRED OR ILLEGIBLE TEXT OR DRAWING	
SKEWED/SLANTED IMAGES	
COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
OTHER:	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE FIRST NAMED INVENTOR MS1-658US 4393 09/26/2000 Vellore T. Vetrivelkumaran 09/670,981 **EXAMINER** 22801 10/28/2004 7590 QURESHI, SHABANA LEE & HAYES PLLC **421 W RIVERSIDE AVENUE SUITE 500** PAPER NUMBER ART UNIT SPOKANE, WA 99201 2155

DATE MAILED: 10/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	A . P Na	Applicant(s)	
	Application No.		
Office Action Summers	09/670,981	VETRIVELKUMARAN ET AL.	•
Office Action Summary	Examiner	Art Unit	
	Shabana Qureshi	2155	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the m earned patent term adjustment. See 37 CFR 1.704(b).	R 1.136(a). In no event, however, may a reply within the statutory minimum of thir riod will apply and will expire SIX (6) MON atute, cause the application to become Al	reply be timely filed ty (30) days will be considered timely. ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
Status		•	
1) Responsive to communication(s) filed on 20	0 July 2004.		
2a)⊠ This action is FINAL . 2b)□ T	This action is non-final.		• •
 Since this application is in condition for allo closed in accordance with the practice under 	•	•	
Disposition of Claims			
4)⊠ Claim(s) <u>1-51</u> is/are pending in the applicat	ion.		
4a) Of the above claim(s) is/are without			
5) Claim(s) is/are allowed.			
6) Claim(s) <u>1-4,7-10,12,13,16-21,23,24,26-28</u>	,31-33,37,38,40-42,45-48 an	<u>d 51</u> is/are rejected.	
7)⊠ Claim(s) <u>5,6,11,14,15,22,25,29,30 and 34-3</u>	36, 39, 43, 44, 49, and 50 , 3	ois/are objected to.	
8) Claim(s) are subject to restriction an	d/or election requirement.	•	
Application Papers			
9) The specification is objected to by the Exam	niner.		
10) The drawing(s) filed on is/are: a) a		by the Examiner.	
Applicant may not request that any objection to	the drawing(s) be held in abeyar	ice. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the cor-			
11)☐ The oath or declaration is objected to by the	Examiner. Note the attached	Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
12) ☐ Acknowledgment is made of a claim for fore a) ☐ All b) ☐ Some * c) ☐ None of:		119(a)-(d) or (f).	
1. Certified copies of the priority document2. Certified copies of the priority document		malia dia mana	
2. Certified copies of the priority docume3. Copies of the certified copies of the p			
application from the International Bur		received in this Mational Stage	
* See the attached detailed Office action for a	` '//	received.	
Attachment(s)	_		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		ummary (PTO-413) s)/Mail Date	
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/ Paper No(s)/Mail Date		nformal Patent Application (PTO-152)	

Art Unit: 2155

DETAILED ACTION

Claims 1-51 are pending in this office action.

Claims 1-4, 7-10, 12-13, 16-21, 23-24, 26-28, 31-33, 37-38, 40-42, 45-48, and 51 are rejected under 35 U.S.C. 102(e) as being anticipated by Lim et al (US Patent No. 5,884,024, hereinafter Lim et al).

Claims 5, 6, 11, 14, 15, 22, 25, 29, 30, 34-36, 39, 43, 44, 49, and 50 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Examiner would like to clarify that claim 34 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed July 20, 2004 have been fully considered but they are not persuasive.

Applicant argues that Lim does not teach "processing IP data packets from the clients if a Network address that is uniquely associated with the client is stored in a client table". Applicant further states that Lim discloses that IP packets are relayed from the client that include the assigned IP address (column 3, lines 1-10). Column 6, lines 55-67 of Lim's disclosure teach the use of a table that is used to map client IP addresses. Therefore, Examiner disagrees with the Applicant and maintains that Lim teaches the processing of IP data packets from clients if the network address uniquely associated with the client is stored in client table.

Art Unit: 2155

Applicant further argues that Lim does not teach the use of a filter that limits the total number of clients to a server. However, the cited portion discloses a filter that limits the total number of a client system by limiting the amount of IP addresses available to the client, therefore limiting the overall client utilization. Load balancing is also disclosed by the Prior Art in U.S. Patent No. 5,938,732 (column 7, lines 37-49; column 9, lines 35-44), which is a co-pending application to Lim et al incorporated by reference. Examiner maintains that it is deemed inherent to the invention of Lim based on the disclosure of load balancing to have a filter that limits the total number of clients on the network since the server of Lim would be inoperable if there were no filter because the server would be overloaded.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Art Unit: 2155

Claims 1-4, 7-10, 12-13, 16-21, 23-24, 26-28, 31-33, 37-38, 40-42, 45-48, and 51 are rejected under 35 U.S.C. 102(e) as being anticipated by Lim et al (US Patent No. 5,884,024, hereinafter Lim et al).

With regards to claims 1 and 45, Lim et al. teach an Internet protocol (IP) filter, comprising processor-executable instructions that, when executed on a processor, perform the following steps:

- monitoring Internet protocol data packets transmitted from one or more clients to a server (abstract; column 2, lines 55-59, relay agent monitors IP packets in network);
- obtaining a network address from an IP data packet transmitted by a client (column 3, lines 25-27); and
- processing IP data packets from the client if a Network address that is to uniquely associated with the client is stored in a client table (column 3, lines 23-35).

As per claims 2 and 46, Lim et al. teach the Internet protocol filter as recited in claim 1, further comprising processor-executable instructions that, when executed on a processor, perform the following steps:

- if the Network address is not stored in the client table, retrieving a client limit value from a client limit field, the client limit value indicating a maximum number of unique clients for which IP data packets can be processed (column 10, lines 35-67);
- processing IP data packets from the client if the number of Network addresses in the client table is less than the client limit value (column 10, lines 35-67); and
- storing the Network address in the client table (column 10, lines 35-67).

As per claims 3 and 47, Lim et al. teach the Internet protocol filter as recited in claim 1, wherein the client is a first client and the Network address is a first Network address, the Internet protocol filter further comprising processor-executable instructions that, when executed on a processor, perform the following steps:

- if the first Network address is not stored in the client table, retrieving a client limit value from a client limit field, the client limit value indicating a maximum number of unique clients for which IP data packets can be processed (column 10, lines 35-67);
- if the number of Network addresses in the client table is greater than or equal to the client limit value, determining if the first client is represented in the to client table by a second Network address that is different from the first Network address (column 10, lines 35-67); and
- processing IP data packets from the first client if the second Network address is found in the client table (column 10, lines 35-67).

As per claims 4 and 48, Lim et al. teach the Internet protocol filter as recited in claim 3, further comprising processor-executable instructions that, when executed on a processor, perform the

following steps:

- removing the second Network address from the client table (column 9, lines 13-22); and
- inserting the first Network address into the client table (column 9, lines 13-22).

As per claims 7 and 26, Lim et al. teach a method, comprising:

Art Unit: 2155

- detecting when a current client attempts to establish a connection with a server (column 2, lines 44-51);
- determining a unique client identifier that is associated with the current client;
- determining if a total number of previous clients having access to the server is less than a client limit (column 2, lines 59-67);
- determining if the current client has previously been allowed to access the server;
- providing access to the server if the total number of previous clients having access to the server is less than a client limit (column 2, lines 59-67);
- providing access to the server if the total number of previous clients is greater than or equal to the client limit and if the current client has previously been allowed to access the server (column 3, lines 40-55); and
- storing the unique client identifier associated with the current client in memory if access is provided to the current client (column 3, lines 11-21).

As per claims 8 and 27, Lim et al. teach the method as recited in claims 7 and 26, wherein the determining if a total number of previous clients having access to the server is less than a client limit further comprises:

- determining how many unique identifiers are stored in memory (column 3, lines 40 55); and
- comparing the number of unique identifiers in memory with the client limit (column 3, lines 40-55).

As per claim 9, Lim et al. teach the method as recited in claim 7, wherein the determining if the current client has previously been allowed to access the server is only

Art Unit: 2155

performed if the total number of previous clients having access to the server is greater than or equal to the client limit (column 3, lines 40-55).

As per claims 10 and 28, Lim et al. teach the method as recited in claims 7 and 26, wherein the determining if the current client has previously been allowed to access the server further comprises:

- comparing the unique identifier of the current client with the unique identifiers of each previous client that has been allowed to access the server (column 10, lines 36-60);
- determining that the current client has previously been allowed to access the server if the current client identifier matches a previous client identifier (column 10, lines 36-60).

As per claim 12, Lim et al. teach the method as recited in claim 7, further comprising:

- pre-configuring the client limit (column 8, lines 60-65); and
- storing the client limit in memory (column 8, lines 60-65).

As per claim 13, Lim et al. teach the method as recited in claim 12, wherein the client limit has a pre-defined maximum to which it may be configured (column 8, lines 60-65).

As per claim 16, Lim et al. teach the method as recited in claim 7, wherein the determining the unique client identifier that is associated with the current client further comprises identifying an Internet protocol address from a data packet transmitted by the current client.

Art Unit: 2155

As per claim 17, Lim et al. teach the method as recited in claim 7, further comprising storing the unique client identifiers in a client table in memory (column 3, lines 11-21).

As per claim 18, Lim et al. teach the method as recited in claim 7, wherein the client identifier is a network address (column 3, lines 11-21).

As per claims 19, 31 and 40, Lim et al. teach a server that provides access to a limited number of clients, comprising:

- memory (column 3, lines 11-21);
- a network interface configured to handle communications between the server and a plurality of clients (column 5, lines 1-26);
- an operating system stored in the memory (column 5, lines 1-10);
- a client limit stored in the memory, the client limit denoting a number of unique clients that are allowed to access the server (column 6, lines 45-54);
- an IP stack in the memory that is used to process data packets transmitted from clients (column 6, lines 45-50);
- a client table in the memory for storing a unique Network address for each client that accesses the server (column 6, lines 45-54); and
- a communications filter configured to allow access to a first client if the total number of clients that have accessed the server is less than the client limit, or if the total number of clients that have accessed the server is greater than or equal to the client limit and the first client has previously accessed the server (column 3, lines 20-55).

Art Unit: 2155

As per claim 20, Lim et al. teach the server as recited in claim 19, wherein the Communications filter is further configured to search the client table for a first Network address associated with the first client and determine that the first client has previously accessed the server if the first Network address is found in the client table (column 8, lines 56-67).

As per claim 21, Lim et al. teach the server as recited in claim 19, wherein the Communications filter is further configured to search the client table for a second Network address associated with the first client and determine that the first client has previously accessed the server if the second Network address is found in the client table (column 8, lines 56-67).

As per claim 23, Lim et al. teach the server as recited in claim 19, wherein the client limit is configurable (column 3, lines 40-55).

As per claim 24, Lim et al. teach the server as recited in claim 19, wherein the Communications filter is further configured to signal that the client limit has been exceeded and to deny server access to the first client if the total number of clients that have accessed the server is greater than or equal to the client limit, and the first client has not previously accessed the server (column 8, lines 60-67).

As per claim 32, Lim et al. teach the operating system as recited in claim 31, wherein the Communications filter is further configured to:

allow the first client to access the operating system if the number of Network addresses in the client table is less then the client limit value (column 10, lines 35-67); and

Art Unit: 2155

- store the first Network address in the client table if the first client is allowed to access the operating system (column 10, lines 35-67).

As per claim 33, Lim et al. teach the operating system as recited in claim 31, wherein the Communications filter is further configured to allow the first client to access the operating system if the number of Network addresses in the client table is greater then or equal to the client limit value and the first client has previously accessed the operating system using a second Network address that is stored in the client table (column 10, lines 35-67).

As per claim 37, Lim et al. teach a computer-readable medium comprising computer-executable instructions that, when executed on a computer, perform the following steps:

- determining a first Internet Protocol (IP) address transmitted from a first client to a server (column 3, lines 25-35);
- searching a client table for the first Network address (column 3, lines 25-35); and
- allowing the first client to access the server if the first Network address is found in the client table (column 3, lines 25-35).

As per claim 38, Lim et al. teach the computer-readable medium as recited in claim 37, further is comprising computer-executable instructions that, when executed on a computer, perform the following steps:

- determining if a client limit has been reached, the client limit indicating a total number of clients that can access the server (column 10, lines 48-67);
- allowing the first client to access the server if the client limit has not been reached (column 10, lines 48-67); and

Art Unit: 2155

- inserting the first Network address into the client table (column 10, lines 48-67).

As per claim 41, Lim et al. teach the computer system as recited in claim 40, wherein the Communications filter is further configured to allow the first client to access the system if the number of entries in the client table is greater than or equal to the client limit and if the first client has previously accessed the system (column 8, lines 56-67).

As per claim 42, Lim et al. teach the computer system as recited in claim 41, wherein the

- Communications filter is further configured to determine if the first client has previously accessed the system if the first Network address is stored in the client table (column 8, lines 56-67).

As per claim 51, Lim et al. teach the communications protocol filter as recited in claim 45, wherein the communications protocol is an Internet protocol and the communications protocol data packets are Internet protocol data packets (column 5, lines 49-64).

Allowable Subject Matter

Claims 5, 6, 11, 14, 15, 22, 25, 29, 30, 34-36, 39, 43, 44, 49, and 50 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: "transmitting a signal to each Network address listed in the client table... if a client does not respond to the signal, removing the second address from the client table, inserting the first

Art Unit: 2155

network address into the client table and processing IP data packets from the first client" and "encrypting the client limit".

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shabana Qureshi whose telephone number is (703) 308-6118. The examiner can normally be reached on Monday - Thursday, 9:30am to 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain T. Alam can be reached on (703) 308-6662. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Art Unit: 2155

Page 13

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Shabana Qureshi Examiner Art Unit 2155

SQ October 18, 2004

> HOSAIN ALAM SUPERVISORY PATENT EXAMINER